

Form PTO-1449 (modified)

Atty. Docket No.
SONN:013US/MBWSerial No.
10/014,927

List of Patents and Publications for Applicant's

Applicant
Andrea Barta *et al.*

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date:
October 23, 2001Group:
UnknownU.S. Patent Documents
See Page 1Foreign Patent Documents
See Page 1Other Art
See Page 1

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
b	C1 ✓	Allain <i>et al.</i> , "Structural basis of the RNA-binding specificity of human U1A protein," <i>EMBO J.</i> , 16:5764-5774, 1997.
	C2 ✓	Amrein <i>et al.</i> , "The role of specific protein-RNA and protein-protein interactions in positive and negative control of pre-mRNA splicing by transformer 2," <i>Cell</i> , 76:735-746, 1994.
	C3 ✓	Breitbart <i>et al.</i> , "Alternative splicing: a ubiquitous mechanism for the generation of multiple protein isoforms from single genes," <i>Ann. Rev. Biochem.</i> , 56:467-495, 1987.
	C4 ✓	Caceres and Krainer, "Functional analysis of pre-mRNA splicing factor SF2/ASF structural domains," <i>EMBO J.</i> , 12:4715-4726, 1993.
	C5 ✓	Caceres <i>et al.</i> , "A specific subset of SR proteins shuttles continuously between the nucleus and the cytoplasm," <i>Genes & Dev.</i> , 12:55-66, 1998.
	C6 ✓	Caceres <i>et al.</i> , "Regulation of alternative splicing in Vivo by overexpression of antagonistic splicing factors," <i>Science</i> , 265:1706-1709, 1994.
	C7 ✓	Caceres <i>et al.</i> , "Role of the modular domains of SR proteins in subnuclear localization and alternative splicing specificity," <i>J. Cell Biol.</i> , 138:225-238, 1997.
	C8 ✓	Cavaloc <i>et al.</i> , "Characterization and cloning of the human splicing factor 9G8: a novel 35 kDa factor of the serine/arginine protein family," <i>EMBO J.</i> , 13:2639-2649, 1994.
	C9 ✓	Chabot, "Directing alternative splicing: cast and scenarios," <i>TIG</i> , 12: 472-478, 1996.

25115073.1

EXAMINER:

Alisa Baum

DATE CONSIDERED:

3/24/04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)

Form PTO-1449 (modified)

Atty. Docket No.
SONN:013US/MBWSerial No.
10/014,927

List of Patents and Publications for Applicant's

Applicant
Andrea Barta *et al.*

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date:
October 23, 2001Group:
UnknownU.S. Patent Documents
See Page 1Foreign Patent Documents
See Page 1Other Art
See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
<i>B</i>	C10 <input checked="" type="checkbox"/>	Diamond <i>et al.</i> , "Novel delayed-early and highly insulin-induced growth response genes," <i>J. Biol. Chem.</i> , 268:15185-15192, 1993. —
	C11 <input checked="" type="checkbox"/>	Dietrich <i>et al.</i> , "A novel zinc finger protein is encoded by the arabidopsis LSD1 gene and functions as a negative regulator of plant cell death," <i>Cell</i> , 88:685-694, 1997. —
	C12 <input checked="" type="checkbox"/>	Ditta <i>et al.</i> , "Broad host range DNA cloning system for Gram-negative bacteria: construction of a gene bank of <i>Rhizobium meliloti</i> ," <i>Proc. Natl. Acad. Sci. USA</i> , 77:7347-7351, 1980. —
	C13 <input checked="" type="checkbox"/>	Fu and Maniatis, "Isolation of a complementary DNA that encodes the mammalian splicing factor SC35," <i>Science</i> , 256:535-538, 1992. —
	C14 <input checked="" type="checkbox"/>	Fu, "Specific commitment of different pre-mRNAs to splicing by single SR proteins," <i>Nature</i> , 365:82-85, 1993. —
	C15 <input checked="" type="checkbox"/>	Fu, "The superfamily of arginine/serine-rich splicing factors," <i>RNA</i> , 1:663-680, 1995. —
	C16 <input checked="" type="checkbox"/>	Ge and Manley, "A protein factor, ASF, controls cell-specific alternative splicing of SV40 early Pre-mRNA in vitro," <i>Cell</i> , 62:25-34, 1990. —
	C17 <input checked="" type="checkbox"/>	Ge <i>et al.</i> , "Primary structure of the human splicing factor ASF reveals similarities with <i>Drosophila</i> regulators," <i>Cell</i> , 66:737-382, 1991. —
	C18 <input checked="" type="checkbox"/>	Hanamura <i>et al.</i> , "Regulated tissue-specific expression of antagonistic pre-mRNA splicing factors," <i>RNA</i> , 4:430-444, 1998. —
	C19 <input checked="" type="checkbox"/>	Hedley <i>et al.</i> , "An amino acid sequence motif sufficient for subnuclear localization of an arginine/serine-rich splicing factor," <i>Proc. Natl. Acad. Sci. USA</i> , 92:11524-11528, 1995. —
	C20 <input checked="" type="checkbox"/>	Jumaa <i>et al.</i> , "Regulated expression and RNA processing of transcripts from the Srp20 splicing factor gene during the cell cycle," <i>Mol. Cell Biol.</i> , 17:3116-3124, 1997. —
	C21 <input checked="" type="checkbox"/>	Kim <i>et al.</i> , "The <i>Drosophila</i> RNA-binding protein RBP1 is localized to transcriptionally active sites of chromosomes and shows a functional similarity to human splicing factor ASF/SF2," <i>Genes & Dev.</i> , 6:2569-2579, 1992. —
	C22 <input checked="" type="checkbox"/>	Kohtz <i>et al.</i> , "Protein-protein interactions and 5'-splice-site recognition in mammalian mRNA precursors," <i>Nature</i> , 368:119-124, 1994. —
	C23 <input checked="" type="checkbox"/>	Krainer <i>et al.</i> , "Purification and characterization of pre-mRNA splicing factor SF2 from HeLa cells," <i>Genes & Dev.</i> , 4:1158-1171, 1990. —

25115073.1

EXAMINER: *[Signature]*

DATE CONSIDERED: 3/24/04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)

Form PTO-1449 (modified)

Atty. Docket No.
SONN:013US/MBWSerial No.
10/014,927

List of Patents and Publications for Applicant's

Applicant
Andrea Barta *et al.*

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date:
October 23, 2001Group:
UnknownU.S. Patent Documents
See Page 1Foreign Patent Documents
See Page 1Other Art
See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
B	C24 ✓	Krainer <i>et al.</i> , "The essential pre-mRNA splicing factor SF2 influences 5' splice site selection by activating proximal sites," <i>Cell</i> , 62:35-42, 1990. ✓
	C25 ✓	Li and Bingham, "Arginine/serine-rich domains of the su(w ⁺) and tra RNA processing regulators target proteins to a subnuclear compartment implicated in splicing," <i>Cell</i> , 67:335-342, 1991. ✓
	C26 ✓	Lopato <i>et al.</i> , "at SRp30, one of two SF2/ASF-like proteins from <i>Arabidopsis thaliana</i> , regulates splicing of specific plant genes," <i>Genes & Dev.</i> , 13:987-1001, 1999. ✓
	C27 ✓	Lou <i>et al.</i> , "An intron enhancer recognized by splicing factors activates polyadenylation," <i>Genes & Dev.</i> , 10:208-219, 1996. ✓
	C28 ✓	Manley and Tacke, "SR proteins and splicing control," <i>Genes & Dev.</i> , 10:1569-1579, 1996. ✓
	C29 ✓	Mayeda and Krainer, "Regulation of alternative pre-mRNA splicing by hnRNP A1 and splicing factor SF2," <i>Cell</i> , 68:365-375, 1992. ✓
	C30 ✓	Mayeda <i>et al.</i> , "Function of conserved domains of hnRNP A1 and other hnRNP A/B proteins," <i>EMBO J.</i> , 13:5483-5495, 1994. ✓
	C31 ✓	Mayeda <i>et al.</i> , "Two members of a conserved family of nuclear phosphoproteins are involved in pre-mRNA splicing," <i>Proc. Natl. Acad. Sci. USA</i> , 89:1301-1304, 1992. ✓
	C32 ✓	Morrison <i>et al.</i> , "smg mutants affect the expression of alternatively spliced SR protein mRNAs in <i>Caenorhabditis elegans</i> ," <i>Proc. Natl. Acad. Sci. USA</i> , 94:9782-9785, 1997. ✓
	C33 ✓	Ramchatesingh <i>et al.</i> , "A subset of SR proteins activates splicing of the cardiac troponin T alternative exon by direct interactions with an exonic enhancer," <i>Mol. Cell. Biol.</i> , 15:4898-4907, 1995. ✓
	C34 ✓	Roth <i>et al.</i> , "A conserved family of nuclear phosphoproteins localized to sites of polymerase II transcription," <i>J. Cell Biol.</i> , 115:587-596, 1991. ✓
	C35 ✓	Screaton <i>et al.</i> , "Identification and characterization of three members of the human SR family of pre-RNA splicing factors," <i>EMBO J.</i> , 14:4336-4349, 1995. ✓
	C36 ✓	Staknis and Reed, "SR proteins promote the first specific recognition of pre-mRNA and are present together with the U1 small nuclear ribonucleoprotein particle in a general splicing enhancer complex," <i>Mol. Cell Biol.</i> , 14:7670-7682, 1994. ✓

25115073.1

EXAMINER:

Shirley Baum

DATE CONSIDERED:

3/24/04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)

Form PTO-1449 (modified)

Atty. Docket No.
SONN:013US/MBWSerial No.
10/014,927

List of Patents and Publications for Applicant's

Applicant
Andrea Barta *et al.*

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Filing Date:
October 23, 2001Group:
UnknownU.S. Patent Documents
See Page 1Foreign Patent Documents
See Page 1Other Art
See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
b	C37 ✓	Sun <i>et al.</i> , "General splicing factor SF2/ASF promotes alternative splicing by binding to an exonic splicing enhancer," <i>Genes & Dev.</i> , 7:2598-2608, 1993. ✓
	C38 ✓	Tacke and Manley, "The human splicing factors ASF/SF2 and SC35 possess distinct, functionally significant RNA binding specificities," <i>EMBO J.</i> , 14:3540-3551, 1995. ✓
	C39 ✓	Tian and Maniatis, "A splicing enhancer complex controls alternative splicing of doublesex pre-mRNA," <i>Cell</i> , 74:105-114, 1993. ✓
	C40 ✓	Valcarcel and Green, "The SR protein family: pleiotropic functions in pre-mRNA splicing," <i>Trends Biochem.</i> , 21:296-301, 1996. ✓
	C41 ✓	Vellard <i>et al.</i> , "A potential splicing factor is encoded by the opposite strand of the trans-spliced c-myc exon," <i>Proc. Natl. Acad. Sci. USA</i> , 89:2511-2515, 1992. ✓
	C42 ✓	Wang and Manley, "Overexpression of the SR proteins ASF/SF2 and SC35 influences alternative splicing in vivo in diverse ways," <i>RNA</i> , 1:335-346, 1995. ✓
	C43 ✓	Wu and Maniatis, "Specific interactions between proteins implicated in splice site selection and regulated alternative splicing," <i>Cell</i> , 75:1061-1070, 1993. ✓
	C44 ✓	Yang <i>et al.</i> , "The A1 and A1 ^B proteins of heterogeneous nuclear ribonucleoproteins modulate 5' splice site selection in vivo," <i>Proc. Natl. Acad. Sci. USA</i> , 91:6924-6928, 1994. ✓
	C45 ✓	Zahler <i>et al.</i> , "Distinct functions of SR proteins in alternative pre-mRNA splicing," <i>Science</i> , 260:219-222, 1993. ✓
	C46 ✓	Zahler <i>et al.</i> , "SR proteins: a conserved family of pre-mRNA splicing factors," <i>Genes & Dev.</i> , 6:837-847, 1992. ✓
	C47 ✓	Zuo and Maniatis, "The splicing factor U2AF ³⁵ mediates critical protein-protein interactions in constitutive and enhancer-dependent splicing," <i>Genes & Dev.</i> , 10:1356-1368, 1996. ✓
	C48 ✓	Zuo and Manley, "Functional domains of the human splicing factor ASF/SF2," <i>EMBO J.</i> , 12:4727-4737, 1993. ✓
	C49 ✓	Zuo and Manley, "The human splicing factor ASF/SF2 can specifically recognize pre-mRNA 5' splice sites," <i>Proc. Natl. Acad. Sci. USA</i> , 91:3363-3367, 1994. ✓

25115073.1

EXAMINER:

DATE CONSIDERED:

3/24/04

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)